



PRO ARMOR.



WHEELS & TIRES

MODEL YEAR '24 BROCHURE

POLARIS



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack and loose trail

PRO ARMOR TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
12"	FRONT/REAR 11-17mm graduated	26" x 10" R12 5418673	8	3	1,020 LBS	*	*	*	*	*		
14"		27" x 10" R14 5418674									29 LBS	1,080 LBS
14"		29" x 10" R14 5418675									30 LBS	1,205 LBS
15"		30" x 10" R15 5418676									32 LBS	1,235 LBS
15"		32" x 10" R15 5418677									34 LBS	1,390 LBS
15"		33" x 10" R15 5418678									37 LBS	1,520 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
15"	FRONT/REAR 25mm	28" x 10" R15 5416344	10	3	1,110 LBS	*	*	*	*	*		
15"		30" x 10" R15 5416345									32 LBS	1,235 LBS
15"		32" x 10" R15 5418252									38 LBS	1,390 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500

X TERRAIN

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
14"	FRONT/REAR 16mm	27" x 9" R14 5418330	8	3	805 LBS	*	*	*	*	*		
14"		27" x 11" R14 5418331									26 lbs	965 LBS
14"		29" x 9" R14 5418332									31 lbs	1,100 LBS
14"		29" x 11" R14 5418333									30 lbs	1,320 LBS
14"											35 lbs	



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	FRONT/REAR 23mm	26" x 9" R14 5415613	8	3	910 LBS	*	*	*	*	*
14"		26" x 11" R14 5415614								

PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
14"	FRONT/REAR 16mm	26" x 9" R14 5416340	10	3	910 LBS	*	*	*	*	*		
14"		26" x 11" R14 5416341									27 LBS	1,110 LBS
14"		29" x 9" R14 5416342									30 LBS	1,110 LBS
14"		29" x 11" R14 5416343									30 LBS	1,320 LBS
15"		32" x 10" R15 5416753									35 LBS	1,990 LBS
15"											38 LBS	

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
14"	FRONT/REAR 20mm	30" x 10" R14 5415616	8	3	1,280 LBS	*	*	*	*	*		
14"		32" x 10" R14 5416113									38 LBS	1,420 LBS
15"		28" x 10" R15 5416346									41 LBS	1,100 LBS
15"		30" x 10" R15 5416397									33 LBS	1,280 LBS
15"		32" x 10" R15 5416699									39 LBS	1,390 LBS
15"		33" x 10" R15 5418255									42 LBS	1,520 LBS
15"		32" x 10" R15 5418255									44 LBS	1,520 LBS
16"		32" x 10.5" R16 5416401									44 LBS	1,420 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
14"	FRONT/REAR 16mm	28" x 10" R14 5415536	8	3	1,140 LBS	*	*	*	*	*		
15"		30" x 10" R15 5418254									32 LBS	1,280 LBS
15"		32" x 10" R15 5416114									37 LBS	1,390 LBS
15"		33" x 10" R15 5417174									39 LBS	1,390 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500

PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
15"	FRONT/REAR 14mm	30" x 9" R15 5417531	8	3	1,170 LBS	*	*	*	*	*		
15"		32" x 9.5" R15 5417532									30 LBS	1,390 LBS
15"		33" x 9.5" R15 5417533									36 LBS	1,480 LBS
15"											38 LBS	

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP		
15"	FRONT/REAR 18mm	30" x 10" R15 5417534	8	3	1,280 LBS	*	*	*	*	*		
15"		32" x 10" R15 5417535									36 LBS	1,390 LBS
15"											39 LBS	

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15"	FRONT/REAR 20mm	30" x 10" R15 5418329	8	3	1,280 LBS	*	*	*	*	*
15"		32" x 10" R15 5418110								

*ONLY COMPATIBLE WITH RANGER XD 1500



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack and loose trail



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP
12"	26" x 9" R12 5415756	FRONT	28 LBS	10	3/1 Aramid	855 LBS					
12"	26" x 11" R12 5415757	REAR	32 LBS			1,100 LBS					



PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP	
12"	26" x 8" R12 5416396	FRONT	24 LBS	10	3	855 LBS						
12"	26" x 10" R12 5415966	REAR	32 LBS			1,355 LBS						
14"	27" x 10" R14 5415965	FRONT/REAR	32 LBS			1,320 LBS						
14"	28" x 10" R14 5416347	FRONT/REAR	34 LBS			1,390 LBS						
15"	30" x 10" R15 5417529	FRONT/REAR	37 LBS			1,320 LBS						
15"	32" x 10" R15 5418256	FRONT/REAR	44 lbs	1,650 lbs								

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP	
14"	27" x 9" R14 5416947	FRONT	30 LBS	10	3	1,170 LBS						
14"	27" x 11" R14 5416948	REAR	32 LBS			1,320 LBS						
14"	29" x 10" R14 5416946	FRONT/REAR	39 LBS			1,390 LBS						
15"	30" x 10" R15 5418253	FRONT/REAR	39 LBS			1,280 LBS						

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP
14"	29" x 10" R14 5417507	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP	
12"	26" x 8" R12 5416403	FRONT	24 LBS	10	3	855 LBS						
12"	26" x 10" R12 5416402	REAR	28 LBS			1,320 LBS						
14"	27" x 10" R14 5416348	FRONT/REAR	28 LBS			1,390 LBS						



- Extra deep treads
- Self-cleaning lugs



PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP	
14"	27" x 9" R14 5416947	FRONT	30 LBS	10	3	1,170 LBS						
14"	27" x 11" R14 5416948	REAR	32 LBS			1,320 LBS						
14"	29" x 10" R14 5416946	FRONT/REAR	39 LBS			1,390 LBS						
15"	30" x 10" R15 5418253	FRONT/REAR	39 LBS			1,280 LBS						

*ONLY COMPATIBLE WITH RANGER XD 1500

PRO ARMOR MUD XT

- Aggressive traction in the mud
- Dual-compound technology with harder durometer lugs to promote extended wear and increase tire life
- 10-ply construction for added protection in the toughest terrain

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XP
15"	32" x 9" R15 5417530	FRONT/REAR	30mm	41 LBS	10	3	1,320 LBS				



- Flexible “grippy” tread
- Aggressive side bite



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP	
14" 26" x 9" R14 5416340	16mm	27 LBS	10	3	910 LBS	■	■	■	■	■	
14" 26" x 11" R14 5416341		30 LBS									1,110 LBS
14" 29" x 9" R14 5416342		30 LBS									1,110 LBS
14" 29" x 11" R14 5416343		35 LBS									1,320 LBS
15" 32" x 10" R15 5416753		38 LBS									1,990 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500

PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP	
14" 30" x 10" R14 5415616	20mm	38 LBS	8	3	1,280 LBS	■	■	■	■	■	
14" 32" x 10" R14 5416113		41 LBS									1,420 LBS
15" 28" x 10" R15 5416346		33 LBS									1,100 LBS
15" 30" x 10" R15 5416397		39 LBS									1,280 LBS
15" 32" x 10" R15 5416699		42 LBS									1,390 LBS
15" 33" x 10" R15 5418255		44 LBS									1,520 LBS
16" 32" x 10.5" R16 5416401		44 LBS									1,420 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500

PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP	
14" 28" x 10" R14 5415536	16mm	32 LBS	8	3	1,140 LBS	■	■	■	■	■	
15" 30" x 10" R15 5418254		37 LBS									1,280 LBS
15" 32" x 10" R15 5416114		39 LBS									1,390 LBS
15" 33" x 10" R15 5417174		39 LBS									1,390 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP	
15" 30" x 9" R15 5417531	14mm	30 LBS	8	3	1,170 LBS	■	■	■	■	■	
15" 32" x 9.5" R15 5417532		36 LBS									1,390 LBS
15" 33" x 9.5" R15 5417533		38 LBS									1,480 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP	
15" 28" x 10" R15 5416344	25mm	32 LBS	10	3	1,110 LBS	■	■	■	■	■	
15" 30" x 10" R15 5416345		38 LBS									1,235 LBS
15" 32" x 10" R15 5418252		44 LBS									1,390 LBS

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15" 30" x 10" R15 5417534	18mm	36 LBS	8	3	1,280 LBS	■	■	■	■	■
15" 32" x 10" R15 5417535		39 LBS								

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15" 30" x 10" R15 5418329	20mm	38 LBS	8	3	1,280 LBS	■	■	■	■	■
15" 32" x 10" R15 5418110		42 LBS								

*ONLY COMPATIBLE WITH RANGER XD 1500



- Provides traction and durability
- Built to perform in hard sand, jagged rocks or any other extreme terrain



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 26" x 9" R14 5416340	FRONT/REAR 16mm	27 LBS	10	3	910 LBS					
14" 26" x 11" R14 5416341		30 LBS			1,110 LBS					
14" 29" x 9" R14 5416342		30 LBS			1,110 LBS					
14" 29" x 11" R14 5416343		35 LBS			1,320 LBS					
15" 32" x 10" R15 5416753		38 LBS			1,990 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 30" x 9" R15 5417531	FRONT/REAR 14mm	30 LBS	8	3	1,170 LBS					
15" 32" x 9.5" R15 5417532		36 LBS			1,390 LBS					
15" 33" x 9.5" R15 5417533		38 LBS			1,480 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 30" x 10" R15 5418329	FRONT/REAR 20mm	38 LBS	8	3	1,280 LBS					
15" 32" x 10" R15 5418110		42 LBS			1,390 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 30" x 10" R14 5415616	FRONT/REAR 20mm	38 LBS	8	3	1,280 LBS					
14" 32" x 10" R14 5416113		41 LBS			1,420 LBS					
15" 28" x 10" R15 5416346		33 LBS			1,100 LBS					
15" 30" x 10" R15 5416397		39 LBS			1,280 LBS					
15" 32" x 10" R15 5416699		42 LBS			1,390 LBS					
15" 33" x 10" R15 5418255		44 LBS			1,520 LBS					
16" 32" x 10.5" R16 5416401		44 LBS			1,420 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 28" x 10" R15 5416344	FRONT/REAR 25mm	32 LBS	10	3	1,110 LBS					
15" 30" x 10" R15 5416345		38 LBS			1,235 LBS					
15" 32" x 10" R15 5418252		44 LBS			1,390 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15" 30" x 10" R15 5417534	FRONT/REAR 18mm	36 LBS	8	3	1,280 LBS					
15" 32" x 10" R15 5417535		39 LBS			1,390 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 28" x 10" R14 5415536	FRONT/REAR 16mm	32 LBS	8	3	1,140 LBS					
15" 30" x 10" R15 5418254		37 LBS			1,280 LBS					
15" 32" x 10" R15 5416114		39 LBS			1,390 LBS					
15" 33" x 10" R15 5417174		39 LBS			1,390 LBS					

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14" 26" x 9" R14 5415613	FRONT/REAR 23mm	28 LBS	8	3	910 LBS					
14" 26" x 11" R14 5415614		32 LBS			1,320 LBS					



- Paddles provide traction and durability in soft sand
- Built to float on top of sand



- Triple-belted sidewalls to resist puncture
- Purpose-built, long lasting tread patterns



FRONT REAR

PRO ARMOR SAND 12XT

- Unique 3-tier concave design on front tires
- Wider rear tires for more traction, plus better grip and flotation on the sand
- 12 paddles for optimized performance on non-turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	30" x 11" R14 5415251	FRONT	12.8mm	22 LBS	8	855 LBS					
14"	30" x 13" R14 5416949	REAR	28mm	25 LBS	4	1,050 LBS					

FRONT REAR

PRO ARMOR SAND 16XT

- Unique 3-tier concave design on front tires
- Wider rear tires with additional paddles for more traction, better grip and flotation on the sand
- 16 paddles for optimized performance and traction on turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
15"	30" x 11" R15 5416951	FRONT	13mm	23 LBS	4	855 LBS					
15"	30" x 14" R15 5416953	REAR	28mm	34 LBS							
15"	32" x 12" R15 5416952	FRONT	13mm	27 LBS							
15"	32" x 15" R15 5416950	REAR	28mm	36 LBS							

PRO ARMOR TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 10" R12 5418673	FRONT/ REAR	11-17mm graduated	8	3	1,020 LBS					
14"	27" x 10" R14 5418674					30 LBS	1,080 LBS				
14"	29" x 10" R14 5418675					32 LBS	1,205 LBS				
15"	30" x 10" R15 5418676					34 LBS	1,235 LBS				
15"	32" x 10" R15 5418677					37 LBS	1,390 LBS				
15"	33" x 10" R15 5418678					40 LBS	1,520 LBS				

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 8" R12 5416403	FRONT	16mm	10	3	855 LBS					
12"	26" x 10" R12 5416402	REAR				24 LBS	1,320 LBS				
14"	27" x 10" R14 5416348	FRONT/ REAR				28 LBS	1,390 LBS				

X TERRAIN

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP				
14"	27" x 9" R14 5418330	FRONT	16mm	8	3	26 lbs	805 LBS								
14"	27" x 11" R14 5418331	REAR				31 lbs						965 LBS			
14"	29" x 9" R14 5418332	FRONT				30 lbs						1,100 LBS			
14"	29" x 11" R14 5418333	REAR				35 lbs						1,320 LBS			



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 9" R12 5415756	FRONT	31.7mm	10	3/1 Aramid	28 LBS	855 LBS				
12"	26" x 11" R12 5415757	REAR				32 LBS					

PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP	
12"	26" x 8" R12 5416396	FRONT	16mm	10	3	24 LBS	855 LBS					
12"	26" x 10" R12 5415966	REAR				32 LBS						1,355 LBS
14"	27" x 10" R14 5415965	FRONT/ REAR				32 LBS						1,320 LBS
14"	28" x 10" R14 5416347	FRONT/ REAR				34 LBS						1,390 LBS
15"	30" x 10" R15 5417529	FRONT/ REAR				37 LBS						1,320 LBS
15"	32" x 10" R15 5418256	FRONT/ REAR				44 lbs						1,650 lbs

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	29" x 10" R14 5417507	FRONT/ REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



- Handles extreme cold
- Holds shape and provides traction



PRO ARMOR WHITEOUT

- Extra wide tires for flotation in snow
- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RZR	RZR	GRLL	SPM	XP
14" 27" x 14" R14 5416032	FRONT	16mm	24 LBS	8	2	935 LBS				
15" 30" x 15" R15 5416395	FRONT/REAR	17mm	46 LBS	2		1,170 LBS				

PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RZR	RZR	GRLL	SPM	XP
12" 26" x 8" R12 5416396	FRONT	24 LBS	10	3	855 LBS					
12" 26" x 10" R12 5415966	REAR	32 LBS			1,355 LBS					
14" 27" x 10" R14 5415965	FRONT/REAR	32 LBS			1,320 LBS					
14" 28" x 10" R14 5416347	FRONT/REAR	34 LBS			1,390 LBS					
15" 30" x 10" R15 5417529	FRONT/REAR	37 LBS			1,320 LBS					
15" 32" x 10" R15 5418256	FRONT/REAR	44 lbs	1,650 LBS							

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RZR	RZR	GRLL	SPM	XP
12" 26" x 9" R12 5415756	FRONT	28 LBS	10	3/1 Aramid	855 LBS					
12" 26" x 11" R12 5415757	REAR	32 LBS			1,100 LBS					



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RZR	RZR	GRLL	SPM	XP
14" 29" x 10" R14 5417507	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RZR	RZR	GRLL	SPM	XP
15" 28" x 10" R15 5416344	FRONT/REAR	25mm	32 LBS	10	3	1,110 LBS				
15" 30" x 10" R15 5416345						1,235 LBS				
15" 32" x 10" R15 5418252						1,390 LBS				

*ONLY COMPATIBLE WITH RANGER XD 1500



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

	TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RZR	RZR	GRLL	SPM	XP
14" 26" x 9" R14 5415613	FRONT	23mm	28 LBS	8	3	910 LBS				
14" 26" x 11" R14 5415614	REAR	32 LBS	1,320 LBS							

WHEELS



16" 60-SERIES

A 6301 BEADLOCK RZR

WEIGHT: 19 LBS	LOAD RATING: 1,600 LBS	OFFSET: +38
ACCENT: FRONT/REAR	16" x 7"	1523286
MATTE BLACK: FRONT/REAR	16" x 7"	1523285

15" 50-SERIES

A 5101 RZR

WEIGHT: 14.5 LBS	LOAD RATING: 800 LBS	OFFSET: -5
MATTE BLACK: FRONT/REAR	15" x 10"	1523149-458

B 5201 RGR RZR GRL

WEIGHT: 17.1 LBS	LOAD RATING: 1,300 LBS	OFFSET: +4
ACCENT: FRONT/REAR	15" x 7"	1523184-266
MATTE BLACK: FRONT/REAR	15" x 7"	1523184-458

C 5202 RGR RZR GRL

WEIGHT: 17.8 LBS	LOAD RATING: 1,300 LBS	OFFSET: +4
ACCENT: FRONT/REAR	15" x 7"	1523102-266
MATTE BLACK: FRONT/REAR	15" x 7"	1523102-458

D 5203 BEADLOCK RGR RZR GRL

WEIGHT: 16 LBS	LOAD RATING: 1,300 LBS	OFFSET: +38
MATTE BLACK: FRONT/REAR	15" x 7"	1522435-458

E 5204 RGR RZR GRL

WEIGHT: 13.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: +55
MATTE BLACK: FRONT/REAR	15" x 7"	1522550-458

F 5205 RZR

FRONT WEIGHT: 15 LBS	LOAD RATING: 900 LBS	OFFSET: -4
REAR WEIGHT: 20 LBS	LOAD RATING: 900 LBS	OFFSET: -38
MATTE BLACK: FRONT	15" x 8"	1523727-458
REAR	15" x 10"	1523728-458

G 5206 RGR RZR XXP

WEIGHT: 15.5 LBS	LOAD RATING: 1,200 LBS	OFFSET: +55
MATTE BLACK: FRONT/REAR	15" x 7"	1524041
<small>ONLY COMPATIBLE WITH RZR PRO R/4, RZR TURBO R/4, RANGER XD 1500/4 & ALL XPEDITION. NOT COMPATIBLE WITH RANGER CREW XD 1500</small>		

H 5207/5303 RZR

FRONT WEIGHT: 16 LBS	LOAD RATING: 1,260 LBS	OFFSET: -4
REAR WEIGHT: 19 LBS	LOAD RATING: 1,670 LBS	OFFSET: -38
MATTE BLACK: FRONT	15" x 8"	1524043
REAR	15" x 10"	1524042
<small>ONLY COMPATIBLE WITH RZR PRO R/4 & RZR TURBO R/4</small>		

I 5208 RZR

WEIGHT: 12.8 LBS	LOAD RATING: 1,200 LBS	OFFSET: +55
MATTE BLACK: FRONT/REAR	15" x 7"	1525454

J 5301 BEADLOCK RGR RZR GRL

WEIGHT: 17 LBS	LOAD RATING: 1,600 LBS	OFFSET: +38
ACCENT: FRONT/REAR	15" x 7"	1523282
MATTE BLACK: FRONT/REAR	15" x 7"	1523266

K 5302 BEADLOCK RZR XXP

WEIGHT: 16.5 LBS	LOAD RATING: 1,670 LBS	OFFSET: +55
MATTE BLACK: FRONT/REAR	15" x 7"	1524038
<small>ONLY COMPATIBLE WITH RZR PRO R/4, RZR TURBO R/4 & ALL XPEDITION</small>		

L 5304 BEADLOCK RGR RZR XXP

WEIGHT: 16 LBS	LOAD RATING: 1,600 LBS	OFFSET: +62
MATTE BLACK: FRONT/REAR	15" x 7"	1525420
<small>ONLY COMPATIBLE WITH RZR PRO R/4, RZR TURBO R/4, RANGER XD 1500/4 & ALL XPEDITION</small>		

M 5305 BEADLOCK RZR

WEIGHT: 18.5 LBS	LOAD RATING: 1,650 LBS	OFFSET: +38
MATTE BLACK: FRONT/REAR	15" x 7"	1525455

N 5306 RGR RZR XXP

WEIGHT: 15 LBS	LOAD RATING: 1,740 LBS	OFFSET: +62
MATTE BLACK: FRONT/REAR	15" x 7"	1525684
<small>ONLY COMPATIBLE WITH RZR PRO R/4, RZR TURBO R/4, RANGER XD 1500/4 & ALL XPEDITION</small>		

O 5307 RGR RZR XXP

WEIGHT: 16 LBS	LOAD RATING: 1,740 LBS	OFFSET: +62
MATTE BLACK: FRONT/REAR	15" x 7"	1525686
<small>ONLY COMPATIBLE WITH RZR PRO R/4, RZR TURBO R/4, RANGER XD 1500/4 & ALL XPEDITION</small>		

P 5307 BEADLOCK RGR RZR XXP

WEIGHT: 18 LBS	LOAD RATING: 1,740 LBS	OFFSET: +62
MATTE BLACK: FRONT/REAR	15" x 7"	1525688
<small>ONLY COMPATIBLE WITH RZR PRO R/4, RZR TURBO R/4, RANGER XD 1500/4 & ALL XPEDITION</small>		

14" 40-SERIES

A 4101 SPM

WEIGHT: 14.5 LBS	LOAD RATING: 800 LBS	OFFSET: -35
MATTE BLACK: FRONT/REAR	14" x 10"	1522958

B 4201 RGR RZR GRL SPM

FRONT WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +9
REAR WEIGHT: 14 LBS	LOAD RATING: 1,300 LBS	OFFSET: +9
ACCENT: FRONT	14" x 7"	1522956-266
REAR	14" x 8"	1522957-266
MATTE BLACK: FRONT	14" x 7"	1522956-458
REAR	14" x 8"	1522957-458
<small>NOT COMPATIBLE WITH RZR XP 4 1000/1000 '18-24, XP 4 TURBO/TURBO '18-19</small>		

C 4202 RGR RZR GRL SPM

FRONT WEIGHT: 12.8 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 13.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
ACCENT: FRONT	14" x 7"	1522544-266
REAR	14" x 8"	1522545-266
MATTE BLACK: FRONT	14" x 7"	1522544-458
REAR	14" x 8"	1522545-458
<small>NOT COMPATIBLE WITH RZR XP 4 1000/1000 '18-24, XP 4 TURBO/TURBO '18-19</small>		

D 4203 BEADLOCK RGR RZR GRL SPM

FRONT WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 14.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK: FRONT	14" x 7"	152238-458
REAR	14" x 8"	152239-458

E 4204 RGR RZR GRL SPM

FRONT WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 14 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
ACCENT: FRONT	14" x 7"	1522546-266
REAR	14" x 8"	1522547-266
MATTE BLACK: FRONT	14" x 7"	1522546-458
REAR	14" x 8"	1522547-458

F 4205 RGR RZR GRL SPM

FRONT WEIGHT: 10.5 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 12.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK: FRONT	14" x 7"	1521507-521
REAR	14" x 8"	1521508-521
LUSTER: FRONT	14" x 7"	1521507-410
REAR	14" x 8"	1521508-410

G 4206 RZR SPM

FRONT WEIGHT: 9.5 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR WEIGHT: 10.8 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK: FRONT	14" x 6"	1522542-458
REAR	14" x 8"	1522543-458

H 4301 BEADLOCK RGR RZR GRL SPM

WEIGHT: 16 LBS	LOAD RATING: 1,600 LBS	OFFSET: +38
ACCENT: FRONT/REAR	14" x 7"	1523284
MATTE BLACK: FRONT/REAR	14" x 7"	1523283
<small>NOT COMPATIBLE WITH RZR XP 4 1000/1000 '18-24, XP 4 TURBO/TURBO '18-19</small>		

I 4302 BEADLOCK RZR

WEIGHT: 15 LBS	LOAD RATING: 1,600 LBS	OFFSET: +58
MATTE BLACK: FRONT/REAR	14" x 7"	5418036

J 4303 RZR

WEIGHT: 13 LBS	LOAD RATING: 1,200 LBS	OFFSET: +58
MATTE BLACK: FRONT/REAR	14" x 7"	5418037

K HD DUAL BEADLOCK RGR RZR GRL SPM

WEIGHT: 40 LBS	LOAD RATING: 1,600 LBS	OFFSET: +28
MATTE BLACK: FRONT/REAR	14" x 7"	1524022-458

- Beadlock required
- Lug Nuts required
- Wheels with 5 Lug Nuts. Only compatible with RZR Pro R/4 & RZR Turbo R/4.



KNOW YOUR WHEELS

STEP 1: SELECT SERIES

- 4 = 40-SERIES
- 5 = 50-SERIES
- 6 = 60-SERIES

STEP 2: CHOOSE LOAD RATING

- 1 = <800 LBS
- 2 = 801 - 1,300 LBS
- 3 = 1,301 - 1,600+ LBS

STEP 3: PICK STYLE

OFFSET / BEADLOCK / COLOR
INCREASE OFFSET FROM STOCK = NARROWER STANCE

DECREASE OFFSET FROM STOCK = WIDER STANCE

FORGED BEADLOCK RINGS

14" FORGED BEADLOCK RINGS

4203 BEADLOCK & HD DUAL BEADLOCK (Includes Bolts)
MACHINED: 1522244-266

4301 BEADLOCK REPLACEMENT & HD DUAL BEADLOCK
MATTE BLACK: 1523146-458

15" FORGED BEADLOCK RINGS

5203 BEADLOCK (Includes Bolts)
MACHINED: 1522240-266

5301 BEADLOCK REPLACEMENT
MATTE BLACK: 1523147-458



VISIT [OFFROAD.POLARIS.COM](https://www.offroad.polaris.com)
FOR MORE INFORMATION ON PRO ARMOR WHEELS & TIRES

POLARIS
Think Outside

MY24 WHEEL & TIRE BROCHURE
JULY