



PRO ARMOR.



WHEELS & TIRES

MODEL YEAR '24 BROCHURE



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack and loose trail



X TERRAIN

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14	27" x 9" R14 5418330	FRONT	16 mm	26 lbs	8	3	805 lbs					
14	27" x 11" R14 5418331	REAR		31 lbs			965 lbs					
14	29" x 9" R14 5418332	FRONT		30 lbs			1,100 lbs					
14	29" x 11" R14 5418333	REAR		35 lbs			1,320 lbs					



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15	28" x 10" R15 5416344	FRONT/ REAR	25mm	32 LBS	10	3	1,110 LBS					
15	30" x 10" R15 5416345			38 LBS			1,235 LBS					
15	32" x 10" R15 5418252			44 LBS			1,390 LBS					



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14	26" x 9" R14 5415613	FRONT	23mm	28 LBS	8	3	910 LBS					
14	26" x 11" R14 5415614	REAR		32 LBS			1,320 LBS					



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14	26" x 9" R14 5416340	FRONT	16mm	27 LBS	10	3	910 LBS					
14	26" x 11" R14 5416341	REAR		30 LBS			1,110 LBS					
14	29" x 9" R14 5416342	FRONT		30 LBS			1,110 LBS					
14	29" x 11" R14 5416343	REAR		35 LBS			1,320 LBS					
15	32" x 10" R15 5416753	FRONT/ REAR		38 LBS			1,990 LBS					



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14	30" x 10" R14 5415616	FRONT/ REAR	20mm	38 LBS	8	3	1,280 LBS					
14	32" x 10" R14 5416113			41 LBS			1,420 LBS					
15	28" x 10" R15 5416346			33 LBS			1,100 LBS					
15	30" x 10" R15 5416397			39 LBS			1,280 LBS					
15	32" x 10" R15 5416699			42 LBS			1,390 LBS					
15	33" x 10" R15 5418255			44 LBS			1,520 LBS					
16	32" x 10.5" R16 5416401			44 LBS			1,420 LBS					



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14	28" x 10" R14 5415536	FRONT/ REAR	16mm	32 LBS	8	3	1,140 LBS					
15	30" x 10" R15 5418254			37 LBS			1,280 LBS					
15	32" x 10" R15 5416114			39 LBS			1,390 LBS					
15	33" x 10" R15 5417174			39 LBS			1,390 LBS					



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15	30" x 9" R15 5417531	FRONT/ REAR	14mm	30 LBS	8	3	1,170 LBS					
15	32" x 9.5" R15 5417532			36 LBS			1,390 LBS					
15	33" x 9.5" R15 5417533			38 LBS			1,480 LBS					



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures


			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15	30" x 10" R15 5417534	FRONT/ REAR	18mm	36 LBS	8	3	1,280 LBS					
15	32" x 10" R15 5417535			39 LBS			1,390 LBS					



PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15	30" x 10" R15 5418329	FRONT/ REAR	20mm	38 LBS	8	3	1,280 LBS					
15	32" x 10" R15 5418110			42 LBS			1,390 LBS					



- Tread patterns optimized for extreme traction
- Ideal for both hard-pack and loose trail



PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	27" x 9" R14 5416947	FRONT	30mm	30 LBS	10	3	1,170 LBS					
14"	27" x 11" R14 5416948	REAR		32 LBS			1,320 LBS					
14"	29" x 10" R14 5416946	FRONT/ REAR		39 LBS			1,390 LBS					
15"	30" x 10" R15 5418253			39 LBS			1,280 LBS					



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14"	29" x 10" R14 5417507	FRONT/ REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS					



PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
12"	26" x 8" R12 5416403	FRONT	16 mm	24 LBS	10	3	855 LBS					
12"	26" x 10" R12 5416402	REAR		28 LBS			1,320 LBS					
14"	27" x 10" R14 5416348	FRONT/ REAR		28 LBS			1,390 LBS					



- Extra deep treads
- Self-cleaning lugs



PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPK	XP
14"	27" x 9" R14 5416947	FRONT	30mm	30 LBS	10	3	1,170 LBS					
14"	27" x 11" R14 5416948	REAR		32 LBS			1,320 LBS					
14"	29" x 10" R14 5416946	FRONT/ REAR		39 LBS			1,390 LBS					
15"	30" x 10" R15 5418253			39 LBS			1,280 LBS					



PRO ARMOR MUD XT

- Aggressive traction in the mud
- Dual-compound technology with harder durometer lugs to promote extended wear and increase tire life
- 10-ply construction for added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15"	32" x 9" R15 5417530	FRONT/ REAR	30mm	41 LBS	10	3	1,320 LBS					



- Flexible “grippy” tread
- Aggressive side bite



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	26" x 9" R14 5416340	FRONT	16mm	27 LBS	10	3	910 LBS					
14"	26" x 11" R14 5416341	REAR		30 LBS			1,110 LBS					
14"	29" x 9" R14 5416342	FRONT		30 LBS			1,110 LBS					
14"	29" x 11" R14 5416343	REAR		35 LBS			1,320 LBS					
15"	32" x 10" R15 5416753	FRONT/ REAR		38 LBS			1,990 LBS					



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	30" x 10" R14 5415616	FRONT/ REAR	20mm	38 LBS	8	3	1,280 LBS					
14"	32" x 10" R14 5416113			41 LBS			1,420 LBS					
15"	28" x 10" R15 5416346			33 LBS			1,100 LBS					
15"	30" x 10" R15 5416397			39 LBS			1,280 LBS					
15"	32" x 10" R15 5416699			42 LBS			1,390 LBS					
15"	33" x 10" R15 5418255			44 LBS			1,520 LBS					
16"	32" x 10.5" R16 5416401			44 LBS			1,420 LBS					



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	28" x 10" R14 5415536	FRONT/ REAR	16mm	32 LBS	8	3	1,140 LBS					
15"	30" x 10" R15 5418254			37 LBS			1,280 LBS					
15"	32" x 10" R15 5416114			39 LBS			1,390 LBS					
15"	33" x 10" R15 5417174			39 LBS			1,390 LBS					



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	30" x 9" R15 5417531	FRONT/ REAR	14mm	30 LBS	8	3	1,170 LBS					
15"	32" x 9.5" R15 5417532			36 LBS			1,390 LBS					
15"	33" x 9.5" R15 5417533			38 LBS			1,480 LBS					



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	28" x 10" R15 5416344	FRONT/ REAR	25mm	32 LBS	10	3	1,110 LBS					
15"	30" x 10" R15 5416345			38 LBS			1,235 LBS					
15"	32" x 10" R15 5418252			44 LBS			1,390 LBS					



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	30" x 10" R15 5417534	FRONT/ REAR	18mm	36 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 5417535			39 LBS			1,390 LBS					



NEW
PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	30" x 10" R15 5418329	FRONT/ REAR	20mm	38 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 5418110			42 LBS			1,390 LBS					



- Provides traction and durability
- Built to perform in hard sand, jagged rocks or any other extreme terrain



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	26" x 9" R14 5416340	FRONT	16mm	27 LBS	10	3	910 LBS					
14"	26" x 11" R14 5416341	REAR		30 LBS								
14"	29" x 9" R14 5416342	FRONT		30 LBS								
14"	29" x 11" R14 5416343	REAR		35 LBS								
15"	32" x 10" R15 5416753	FRONT/REAR		38 LBS								



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	30" x 9" R15 5417531	FRONT/REAR	14mm	30 LBS	8	3	1,170 LBS					
15"	32" x 9.5" R15 5417532			36 LBS			1,390 LBS					
15"	33" x 9.5" R15 5417533			38 LBS			1,480 LBS					



NEW
PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	30" x 10" R15 5418329	FRONT/REAR	20mm	38 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 5418110			42 LBS			1,390 LBS					



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	30" x 10" R14 5415616	FRONT/REAR	20mm	38 LBS	8	3	1,280 LBS					
14"	32" x 10" R14 5416113			41 LBS			1,420 LBS					
15"	28" x 10" R15 5416346			33 LBS			1,100 LBS					
15"	30" x 10" R15 5416397			39 LBS			1,280 LBS					
15"	32" x 10" R15 5416699			42 LBS			1,390 LBS					
15"	33" x 10" R15 5418255			44 LBS			1,520 LBS					
16"	32" x 10.5" R16 5416401			44 LBS			1,420 LBS					



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	28" x 10" R15 5416344	FRONT/REAR	25mm	32 LBS	10	3	1,110 LBS					
15"	30" x 10" R15 5416345			38 LBS			1,235 LBS					
15"	32" x 10" R15 5418252			44 LBS			1,390 LBS					



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
15"	30" x 10" R15 5417534	FRONT/REAR	18mm	36 LBS	8	3	1,280 LBS					
15"	32" x 10" R15 5417535			39 LBS			1,390 LBS					



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	28" x 10" R14 5415536	FRONT/REAR	16mm	32 LBS	8	3	1,140 LBS					
15"	30" x 10" R15 5418254			37 LBS			1,280 LBS					
15"	32" x 10" R15 5416114			39 LBS			1,390 LBS					
15"	33" x 10" R15 5417174			39 LBS			1,390 LBS					



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XXP
14"	26" x 9" R14 5415613	FRONT	23mm	28 LBS	8	3	910 LBS					
14"	26" x 11" R14 5415614	REAR		32 LBS			1,320 LBS					



- Paddles provide traction and durability in soft sand
- Built to float on top of sand



FRONT

REAR



PRO ARMOR SAND 12XT

- Unique 3-tier concave design on front tires
- Wider rear tires for more traction, plus better grip and flotation on the sand
- 12 paddles for optimized performance on non-turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	30" x 11" R14 5415251	FRONT	12.8mm	22 LBS	8	855 LBS					
14"	30" x 13" R14 5416949	REAR	28mm	25 LBS	4	1,050 LBS					

FRONT

REAR



PRO ARMOR SAND 16XT

- Unique 3-tier concave design on front tires
- Wider rear tires with additional paddles for more traction, better grip and flotation on the sand
- 16 paddles for optimized performance and traction on turbo models
- 28mm paddle depth specifically designed for increased traction, while limiting sand throw

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
15"	30" x 11" R15 5416951	FRONT	13mm	23 LBS	4	855 LBS					
15"	30" x 14" R15 5416953	REAR	28mm	34 LBS		925 LBS					
15"	32" x 12" R15 5416952	FRONT	13mm	27 LBS		1,020 LBS					
15"	32" x 15" R15 5416950	REAR	28mm	36 LBS		1,280 LBS					



- Triple-belted sidewalls to resist puncture
- Purpose-built, long lasting tread patterns



X TERRAIN

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	27" x 9" R14 5418330	FRONT	16 mm	26 lbs	8	805 lbs					
14"	27" x 11" R14 5418331	REAR		31 lbs		965 lbs					
14"	29" x 9" R14 5418332	FRONT		30 lbs		1,100 lbs					
14"	29" x 11" R14 5418333	REAR		35 lbs		1,320 lbs					



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26 x 9" R12 5415756	FRONT	31.7 mm	28 LBS	10	855 LBS					
12"	26 x 11" R12 5415757	REAR		32 LBS		1,100 LBS					



PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 8" R12 5416403	FRONT	16 mm	24 LBS	10	855 LBS					
12"	26" x 10" R12 5416402	REAR		28 LBS		1,320 LBS					
14"	27" x 10" R14 5416348	FRONT/REAR		28 LBS		1,390 LBS					



PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
12"	26" x 8" R12 5416396	FRONT	16 mm	24 LBS	10	855 LBS					
12"	26" x 10" R12 5415966	REAR		32 LBS		1,355 LBS					
14"	27" x 10" R14 5415965	FRONT/REAR		32 LBS		1,320 LBS					
14"	28" x 10" R14 5416347	FRONT/REAR		34 LBS		1,390 LBS					
15"	30" x 10" R15 5417529	FRONT/REAR		37 LBS		1,320 LBS					



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	ORL	SPM	XXP
14"	29" x 10" R14 5417507	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS				



- Handles extreme cold
- Holds shape and provides traction



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
12	26" x 9" R12 5415756	FRONT	31.7mm	28 LBS	10	3/1 Aramid	855 LBS					
12	26" x 11" R12 5415757	REAR		32 LBS			1,100 LBS					



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14	29" x 10" R14 5417507	FRONT/REAR	31.75mm	40 LBS	10	3/1 Aramid	1,320 LBS					



PRO ARMOR WHITEOUT

- Extra wide tires for flotation in snow
- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14	27" x 14" R14 5416032	FRONT	16mm	24 LBS	8	2	935 LBS					
15	30" x 15" R15 5416395	FRONT/REAR	17mm	46 LBS	2		1,170 LBS					



PRO ARMOR HARVESTER

- All-around work horse with tread life of
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
12	26" x 8" R12 5416396	FRONT	16 mm	24 LBS	10	3	855 LBS					
12	26" x 10" R12 5415966	REAR		32 LBS			1,355 LBS					
14	27" x 10" R14 5415965	FRONT/ REAR		32 LBS			1,320 LBS					
14	28" x 10" R14 5416347			34 LBS			1,390 LBS					
15	30" x 10" R15 5417529	FRONT/ REAR		37 LBS			1,320 LBS					



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
15	28" x 10" R15 5416344	FRONT/REAR	25mm	32 LBS	10	3	1,110 LBS					
15	30" x 10" R15 5416345			38 LBS			1,235 LBS					
15	32" x 10" R15 5418252			44 LBS			1,390 LBS					



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	RZR	GRL	SPM	XP
14	26" x 9" R14 5415613	FRONT	23mm	28 LBS	8	3	910 LBS					
14	26" x 11" R14 5415614	REAR		32 LBS			1,320 LBS					

WHEELS



16"↑↓

60-SERIES

A 6301 BEADLOCK RZR			
WEIGHT:	19 LBS	LOAD RATING:	1,600 LBS
		OFFSET:	+38
ACCENT:	FRONT/REAR	16" × 7"	1523286
MATTE BLACK:	FRONT/REAR	16" × 7"	1523285

KNOW YOUR WHEELS

STEP 1: SELECT SERIES

- 4 = 40-SERIES
- 5 = 50-SERIES
- 6 = 60-SERIES

STEP 2: CHOOSE LOAD RATING

- 1 = <800 LBS
- 2 = 801 - 1,300 LBS
- 3 = 1,301 - 1,600+ LBS

STEP 3: PICK STYLE

OFFSET / BEADLOCK / COLOR
INCREASE OFFSET FROM STOCK
= NARROWER STANCE

DECREASE OFFSET FROM STOCK
= WIDER STANCE

FORGED BEADLOCK RINGS

14" FORGED BEADLOCK RINGS

4203 BEADLOCK & HD DUAL BEADLOCK (Includes Bolts)
MACHINED: 1522244-266

4301 BEADLOCK REPLACEMENT & HD DUAL BEADLOCK
MATTE BLACK: 1523146-458

15" FORGED BEADLOCK RINGS

5203 BEADLOCK (Includes Bolts)
MACHINED: 1522240-266

5301 BEADLOCK REPLACEMENT
MATTE BLACK: 1523147-458

15"↑↓

50-SERIES

B 5101 ○ RZR			
WEIGHT:	14.5 LBS	LOAD RATING:	800 LBS
		OFFSET:	-5
MATTE BLACK:	FRONT/REAR	15" × 10"	1523149-458

C 5201 RGR RZR GRL			
WEIGHT:	17.1 LBS	LOAD RATING:	1,300 LBS
		OFFSET:	+4
ACCENT:	FRONT/REAR	15" × 7"	1523184-266
MATTE BLACK:	FRONT/REAR	15" × 7"	1523184-458

D 5202 RGR RZR GRL			
WEIGHT:	17.8 LBS	LOAD RATING:	1,300 LBS
		OFFSET:	+4
ACCENT:	FRONT/REAR	15" × 7"	1523102-266
MATTE BLACK:	FRONT/REAR	15" × 7"	1523102-458

E 5203 BEADLOCK ○ ○ RGR RZR GRL			
WEIGHT:	16 LBS	LOAD RATING:	1,300 LBS
		OFFSET:	+38
MATTE BLACK:	FRONT/REAR	15" × 7"	1522435-458

F 5204 ○ RGR RZR GRL			
WEIGHT:	13.5 LBS	LOAD RATING:	1,300 LBS
		OFFSET:	+55

MATTE BLACK:	FRONT/REAR	15" × 7"	1522550-458
--------------	------------	----------	-------------

G 5205 RZR			
FRONT	WEIGHT: 15 LBS	LOAD RATING: 900 LBS	OFFSET: -4
REAR	WEIGHT: 20 LBS	LOAD RATING: 900 LBS	OFFSET: -38
MATTE BLACK:	FRONT	15" × 8"	1523727-458
	REAR	15" × 10"	1523728-458

H 5206 5 RZR XXP			
WEIGHT:	15.5 LBS	LOAD RATING:	1,200 LBS
		OFFSET:	+55
MATTE BLACK:	FRONT/REAR	15" × 7"	1524041

ONLY COMPATIBLE WITH RZR PRO R/ 4 & RZR TURBO R/4

I 5207/5303 5 RZR			
FRONT	WEIGHT: 16 LBS	LOAD RATING: 1,260 LBS	OFFSET: -4
REAR	WEIGHT: 19 LBS	LOAD RATING: 1,670 LBS	OFFSET: -38
MATTE BLACK:	FRONT	15" × 8"	1524043
	REAR	15" × 10"	1524042

ONLY COMPATIBLE WITH RZR PRO R/4 & RZR TURBO R/4

J 5208 RZR			
WEIGHT:	12.8 LBS	LOAD RATING:	1,200 LBS
		OFFSET:	+55
MATTE BLACK:	FRONT/REAR	15" × 7"	1525454

K 5301 BEADLOCK RGR RZR GRL			
WEIGHT:	17 LBS	LOAD RATING:	1,600 LBS
		OFFSET:	+38
ACCENT:	FRONT/REAR	15" × 7"	1523282
MATTE BLACK:	FRONT/REAR	15" × 7"	1523266

L 5302 BEADLOCK 5 RZR XXP			
WEIGHT:	16.5 LBS	LOAD RATING:	1,670 LBS
		OFFSET:	+55
MATTE BLACK:	FRONT/REAR	15" × 7"	1524038

ONLY COMPATIBLE WITH RZR PRO R/4 & RZR TURBO R/4

M 5304 BEADLOCK 5 RZR XXP			
WEIGHT:	16 LBS	LOAD RATING:	1,600 LBS
		OFFSET:	+62
MATTE BLACK:	FRONT/REAR	15" × 7"	1525420

N 5305 BEADLOCK RZR			
WEIGHT:	18.5 LBS	LOAD RATING:	1,650 LBS
		OFFSET:	+38
MATTE BLACK:	FRONT/REAR	15" × 7"	1525455

14"↑↓

40-SERIES

O 4101 ○ SPM			
WEIGHT:	14.5 LBS	LOAD RATING:	800 LBS
		OFFSET:	-35
MATTE BLACK:	FRONT/REAR	14" × 10"	1522958

P 4201 ○ RGR RZR GRL SPM			
FRONT	WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +9
REAR	WEIGHT: 14 LBS	LOAD RATING: 1,300 LBS	OFFSET: +9
ACCENT:	FRONT	14" × 7"	1522956-266
	REAR	14" × 8"	1522957-266
MATTE BLACK:	FRONT	14" × 7"	1522956-458
	REAR	14" × 8"	1522957-458

NOT COMPATIBLE WITH XP 4 1000/1000 '18-24, XP 4 TURBO/TURBO '18-19

Q 4202 ○ RGR RZR GRL SPM			
FRONT	WEIGHT: 12.75 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR	WEIGHT: 13.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
ACCENT:	FRONT	14" × 7"	1522544-266
	REAR	14" × 8"	1522545-266
MATTE BLACK:	FRONT	14" × 7"	1522544-458
	REAR	14" × 8"	1522545-458

NOT COMPATIBLE WITH XP 4 1000/1000 '18-24, XP 4 TURBO/TURBO '18-19

R 4203 BEADLOCK ○ ○ RGR RZR GRL SPM			
FRONT	WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR	WEIGHT: 14.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK:	FRONT	14" × 7"	1522238-458
	REAR	14" × 8"	1522239-458

S 4204 ○ RGR RZR GRL SPM			
FRONT	WEIGHT: 13 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR	WEIGHT: 14 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
ACCENT:	FRONT	14" × 7"	1522546-266
	REAR	14" × 8"	1522547-266
MATTE BLACK:	FRONT	14" × 7"	1522546-458
	REAR	14" × 8"	1522547-458

T 4205 ○ RGR RZR GRL SPM			
FRONT	WEIGHT: 10.5 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR	WEIGHT: 12.5 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK:	FRONT	14" × 7"	1521507-521
	REAR	14" × 8"	1521508-521
LUSTER:	FRONT	14" × 7"	1521507-410
	REAR	14" × 8"	1521508-410

U 4206 ○ RZR SPM			
FRONT	WEIGHT: 9.5 LBS	LOAD RATING: 900 LBS	OFFSET: +4
REAR	WEIGHT: 10.75 LBS	LOAD RATING: 1,300 LBS	OFFSET: -9
MATTE BLACK:	FRONT	14" × 6"	1522542-458
	REAR	14" × 8"	1522543-458

V 4301 BEADLOCK RGR RZR GRL SPM			
WEIGHT:	16 LBS	LOAD RATING:	1,600 LBS
		OFFSET:	+38
ACCENT:	FRONT/REAR	14" × 7"	1523284
MATTE BLACK:	FRONT/REAR	14" × 7"	1523283

NOT COMPATIBLE WITH XP 4 1000/1000 '18-24, XP 4 TURBO/TURBO '18-19

W 4302 BEADLOCK RZR			
WEIGHT:	15 LBS	LOAD RATING:	1,600 LBS
		OFFSET:	+58
MATTE BLACK:	FRONT/REAR	14" × 7"	5418036

X 4303 RZR			
WEIGHT:	13 LBS	LOAD RATING:	1,200 LBS
		OFFSET:	+58
MATTE BLACK:	FRONT/REAR	14" × 7"	5418037

Y HD DUAL BEADLOCK RGR RZR GRL SPM			
WEIGHT:	40 LBS	LOAD RATING:	1,600 LBS
		OFFSET:	+28
MATTE BLACK:	FRONT/REAR	14" × 7"	1524022-458

- Beadlock required
- Lug Nuts required
- 5 Wheels with 5 Lug Nuts.
Only compatible with RZR Pro R/4 & RZR Turbo R/4.





VISIT [OFFROAD.POLARIS.COM](https://offroad.polaris.com)

FOR MORE INFORMATION ON PRO ARMOR WHEELS & TIRES

POLARIS

Think Outside

MY24 WHEEL & TIRE BROCHURE
MAY